

INSTALLATION & USER GUIDE













- GO+ DAB/DAB+ Receiver
- Active Glass Mount Antenna
- Power Cable
- Windscreen / Dash mount system

Δυτο**Ο**ΛΒ

1. Remove all content from the AutoDAB GO+ Box

2. Position the antenna in the top right of the front windscreen, approx. 150mm from the top (top left for right hand drive vehicles). The antenna should be located parallel to the A-pillar of the car. We recommend that it is held in position with a temporary fix until you confirm that you have a good reception.

3. Plug the cigarette lighter charger into the nearest 12V supply.

4. Fix the AutoDAB GO+ bracket to the windscreen or dashboard and connect the antenna and power as shown below.

5. The AutoDAB GO+ has an optional Digital Quality Audio Out socket (labelled AUX OUT).





The 1st menu has 4 options as follows;


1) **Scan** – selection of scan will cause the device to scan to see what stations are available to you. A simple progress bar will keep you informed of progress but normally a scan will be quite quick. At the end of the scan your GO+ will tell you how many stations were found.



 Stations – A list of stations available to you will be displayed either alphabetically if 'list mode' selected from settings or by ensemble if

'ensemble mode' selected. Selection of ensemble will help you quickly find your desired station.

• Simply touch your desired station to select it and it will start playing and display in the play screen.





3) Favourites

this button stores a list of your favourite stations. You can add or delete items by pressing the icon

on your station listings, storing up to 10.




4) Settings

The settings button allows you to customise your AutoDAB GO+. We recommend that this function

is not used whilst driving as it could cause distraction.

You can;

- Select the mode of station display, either ensemble or list mode
- · Change the colour of the app to suit your taste
- Adjust Day Dimmer & Night Dimmer settings
- Adjust Volume settings



The PLAY Screen

ΑυτοΟΛΒ

The play screen is the screen which will be viewed the majority of the time. It has the following features;

- 1. Displays the station name
- 2. Displays the DLS transmitted by the station including artist and song title
- 3. The signal strength of the station at that point in time
- 4. Any slide-show pictures transmitted by the station.
- 5. Touch here to select previous station
- 6. Touch here to select next station
- 7. Touch screen here to select day or night mode





The AutoDAB Go+ will automatically transmit at 87.5 MHz. Tune the car radio to this frequency. Choose a preset on the car radio and store the AutoDAB GO+ frequency to it. To change the AutoDAB GO+ transmit frequency go to the settings menu.

Note: Do not change the FM frequency unless necessary and avoid conflict with local transmitting radio station frequencies.



...digital radio on the move

DIGITALRADIO digitalradio 🗹